

Fireman's switch, PV, 1N/O+1N/C, FW switch, red, IP65_x



Part no. M22-SOL-PVLPL11-230Q
152627
EL Number 4300329
(Norway)

General specifications		
Product name		Eaton Moeller® series M22 Fireman's switch
Part no.		M22-SOL-PVLPL11-230Q
EAN		4015081493654
Product Length/Depth		110 millimetre
Product height		80 millimetre
Product width		72 millimetre
Product weight		0.273 kilogram
Compliances		CE
Product Tradename		M22
Product Type		Fireman's switch
Product Sub Type		None
Features & Functions		
Bezel color		Other
Bezel material		Plastic
Electric connection type		Screw connection
Fitted with:		Light source
General information		
Degree of protection		IP65 NEMA 4X
Opening diameter		22.5 mm
Suitable for		Illumination
Electrical rating		
Supply voltage - max		230 V
Actuator		
Actuator color		Red
Actuator type		Turn button
Number of switch positions		2
Contacts		
Number of contacts (change-over contacts)		0
Number of contacts (normally closed contacts)		1
Number of contacts (normally open contacts)		1

Technical data ETIM 8.0

Low-voltage industrial components (EG000017) / Selector switch, complete (EC001029)		
Electric engineering, automation, process control engineering / Low-voltage switch technology / Command and alarm device / Selector switch, complete unit (ecl@ss10.0.1-27-37-12-43 [ACN984011])		
Number of switch positions		2
Type of control element		Turn button
Suitable for illumination		Yes
With light source		Yes
Colour button		Red
Hole diameter	mm	22.5
Width opening	mm	0
Height opening	mm	0
Switching function latching		No
Spring-return		No
Degree of protection (IP)		IP65

Degree of protection (NEMA)		4X
Supply voltage	V	230 - 230
Number of contacts as normally open contact		1
Number of contacts as normally closed contact		1
Number of contacts as change-over contact		0
Type of electric connection		Screw connection
With front ring		No
Material front ring		Plastic
Colour front ring		Other